

SwissStop®
cycling brake power


2018

ENGLISH

INDEX

- 3-5 SwissStop Company Information
- 6-7 NEW Disc RS disc brake pads
- 8-9 EXOTHERM 2 Disc Brake Pads
- 10-13 Organic disc brake pads
- 14-15 Disc E disc brake pads
- 16 Sintered disc brake pads
- 17 SwissStop Silencer
- 18-21 CATALYST Disc Rotor
- 22-23 Rim brake pads for carbon wheels
- 24-27 Rim brake pads for alloy wheels
- 28 OEM Partners
- 29 Teams 2017
- 30-35 Product overview

**BECAUSE YOU RIDE
EVERYWHERE.**



SwissStop® BICYCLE BRAKE PADS

A product of Rex Articoli Tecnici SA

SwissStop bicycle brake pads are a product of Rex Articoli Tecnici SA of Mendrisio, Switzerland. Founded in 1935, the company started to develop and manufacture bicycle brake pads in the 1950s, becoming the original equipment supplier for several of the leading brake manufacturers of that time. By the 1970s annual production reached over 20 million pieces per year. SwissStop was created in the 1990s and with this brand Rex continues its decades long tradition of research, development and production in the bicycle brake pad industry.

Technical items of rubber, thermoplastics, and a variety of elastic materials are produced and sold by the company. Rex Articoli offers customer support through product knowledge and service with a sales network that covers the entire globe.

Rex Articoli Tecnici SA
via Catenazzi 1
6850 Mendrisio
Switzerland

sales@SwissStop.ch
www.SwissStop.ch
© 2017 Rex Articoli Tecnici SA



Rex Articoli Tecnici

Innovation and expertise in technical rubber products since 1935.

Advanced product development, testing, production and packing in Switzerland.


NEW

DISC RS

RACE READY SILENT POWER



SwissStop®



SMOOTH, POWERFUL BRAKING

Disc RS delivers powerful braking and precisely balances the performance characteristics important to racers and everyday riders alike:

- smooth feel in the brake lever
- predictable and progressive brake power
- very high durability
- consistently quiet operation

QUIET WET AND DRY

Disc RS provides extremely quiet operation in all environments. In wet, dry, snow and ice conditions the compound is noiseless.

ORGANIC COMPOUND

Smooth modulation and rotor friendly.

THIN BACKPLATE DESIGN

At 1.6mm thick the steel backplate saves weight over standard designs, yet provides the preferred thermal characteristics, strength and stability of steel.

Reduced thickness backplate is offset with additional friction material, providing longer pad service life.

BALANCED PERFORMANCE

Disc RS offers a highly balanced combination of brake performance, durability and incredibly low noise in all conditions. This finely tuned compound provides an ideal riding experience which is not found in other disc brake pads.

ENGINEERED AND PRODUCED IN SWITZERLAND

DISC RS

RACE READY | SILENT POWER

OFFICIAL SUPPLIER



DISC 28 RS

Fits **Shimano** XTR BR-M9000, BR-M9020, BR-M987, XT BR-M8000, BR-M785, SLX BR-M675, BR-M666 **FSA** K-Force DB-TX-9000, Afterburner DB-TX-9150 **REVER MCX1**



DISC 30 RS

Fits **Magura** MT 2, 4, 6, 8 **Campagnolo** Road Disc



DISC 32 RS

Fits **SRAM** HRD, eTap HRD, Level Ultimate, Level TLM




DISC 34 RS

Fits **Shimano** Dura Ace BR-R9170, BR-RS805, BR-RS505, BR-RS405, BR-RS305

SCOTT
development MTB Team

EXOTHERM 2



MAXIMUM PAD LIFE MINIMUM BRAKE FADE



Based on the award winning SwissStop Disc E compound, EXOTHERM 2 provides high performance braking at all levels of use while minimizing pad wear.



Brake system temperatures are dramatically lower than standard pads, reducing wear on pads and rotors. Lower temperatures also mean more consistent brake performance by reducing brake fade - the reduction of brake power caused by overheated components.



DISC 25

Fits **Formula** RO Racing, T1 Racing, R1 Racing, R1, C1, CR3, T1, RO, Mega, The One, RX, RR1, CURA



DISC 26

Fits **Avid** Elixir 9, 5, 3, 1, CR, R **SRAM** XX, XO, DB 5, 3, 1, Level TL, Level T, Level



DISC 27

Fits **Shimano** SAINT BR-M820, ZEE BR-M640



DISC 28

Fits **Shimano** XTR BR-M9000, BR-M9020, BR-M987, XT BR-M8000, BR-M785, SLX BR-M675, BR-M666 **FSA** K-Force DB-TX-9000, Afterburner DB-TX-9150



DISC 29

Fits **Magura** MT 2, 4, 6, 8



DISC 30

Fits **Avid** XO Trail, Elixir 9 Trail, Elixir 7 Trail **SRAM** Guide Ultimate, RSC, RS, R, RE



DISC 32

Fits **SRAM** HRD, eTap HRD, Level Ultimate, Level TLM



DISC 34

Fits **Shimano** Dura Ace BR-R9170, BR-RS805, BR-RS505, BR-RS405, BR-RS305

ORGANIC DISC COMPOUND



DISC

SMOOTH POWER | LOW NOISE

- versatile organic Kevlar/brass/ceramic compound
- excellent braking performance and durability
- extremely low noise
- 23 models available



DISC 1

Fits **Magura** Julie



DISC 2

Fits **Magura** Louise, Clara 2000



DISC 3

Fits **Magura** Louise FR 2002, Clara 2001



DISC 5

Fits **Shimano** Deore BR-M555



DISC 10

Fits **Magura** Marta, Marta SL




DISC 11


Fits **Formula** B4/ Racing XC/ Extreme FR/ DR/BR Team/Pro/SL

PERFORMANCE

STOPPING DISTANCES



STOPPING DISTANCE (m), 60 km/h -0, dry conditions comparison with competitor A



STOPPING DISTANCE (m), 60 km/h -0, dry conditions comparison with competitor B



DISC 15

Fits **Shimano** Deore BR-M575, BR-M525, BR-M515, LX BR-T675, BR-M505 **TRP** Hylex, HY/RD, Spyre SLC **Tektro** Orion SL HD-M740, Orion HD-M730, HD-M725, Gemini SL HD-M520 / M521 **QUAD** Disc Brake



DISC 16

Fits **Shimano** XTR BR-M975, BR-M966, BR-M965, XT BR-M776, BR-M775, BR-M765, SLX BR-M665 **TRP** Dash Carbon



DISC 17

Fits **Avid** Juicy 3, 5, 7, Carbon, Ultimate, BB7 Mechanical



DISC 18

Fits **Formula** ORO



DISC 20

Fits **Hope** Mono Mini



DISC 21

Fits **Magura** Marta 2009, Louise 2007/08, Louise Bat, Louise Carbon, Julie hp **Brake Force One** BFO Brake



DISC 22

Fits **Avid** Code (2008-2010), Code 5, Code 7



DISC 23

Fits **Hayes** Stroker Ryde, Radar



DISC 25

Fits **Formula** RO Racing, T1 Racing, R1 Racing, R1, C1, CR3, T1, RO, Mega, The One, RX, RR1, CURA

DISC

SMOOTH POWER | LOW NOISE



DISC 26

Fits **Avid** Elixir 9, 7, 5, 3, 1, CR, R **SRAM** XX, XO, DB 5, 3, 1, Level TL, Level T, Level



DISC 27

Fits **Shimano** SAINT BR-M820, BR-M810, ZEE BR-M640 **TRP** Quadiem, Quadiem SL, Slate T4



DISC 28

Fits **Shimano** XTR BR-M9000, BR-M9020, BR-M987, XT BR-M8000, BR-M785, SLX BR-M675, BR-M666 **FSA** K-Force DB-TX-9000, Afterburner DB-TX-9150 **REVER** MCX1



DISC 29

Fits **Avid** Code (2011-2014), Code R



DISC 30

Fits **Magura** MT 2, 4, 6, 8 **Campagnolo** Road Disc



DISC 31

Fits **Avid** XO Trail, Elixir 9 Trail, Elixir 7 Trail **SRAM** Guide Ultimate, RSC, RS, R, RE




DISC 32

Fits **SRAM** HRD, eTap HRD, Level Ultimate, Level TLM

DISC 33

Fits **Magura** MT 5, 7

**BECAUSE YOU RIDE
EVERYWHERE.**



HIGH ENDURANCE

EASY MODULATION



DISC E

HIGH ENDURANCE | EASY MODULATION



DISC 15 E

Fits **Shimano** Deore BR-M575, BR-M525, BR-M515, LX BR-T675, BR-M505 **TRP** Hylex, HY/RD, Spyre SLC **Tektro** Orion SL HD-M740, Orion HD-M730, HD-M725, Gemini SL HD-M520 / M521 **QUAD** Disc Brake



DISC 26 E

Fits **Avid** Elixir 9, 7, 5, 3, 1, CR, R **SRAM** XX, XO, DB 5, 3, 1, Level TL, Level T, Level



DISC 27 E

Fits **Shimano** SAINT BR-M820, BR-M810, ZEE BR-M640 **TRP** Quadiem, Quadiem SL, Slate T4



DISC 28 E

Fits **Shimano** XTR BR-M9000, BR-M9020, BR-M987, XT BR-M8000, BR-M785, SLX BR-M675, BR-M666 **FSA** K-Force DB-TX-9000, Afterburner DB-TX-9150 **REVER** MCX1



DISC 30 E

Fits **Magura** MT 2, 4, 6, 8 **Campagnolo** Road Disc



DISC 31 E

Fits **Avid** XO Trail, Elixir 9 Trail, Elixir 7 Trail **SRAM** Guide Ultimate, RSC, RS, R, RE



DISC 32 E

Fits **SRAM** HRD, eTap HRD, Level Ultimate, Level TLM



DISC 34 E

Fits **Shimano** Dura Ace BR-R9170, BR-RS805, BR-RS505, BR-RS405, BR-RS305



AWARD WINNING DURABILITY

- long lasting, high endurance pad compound
- very easy modulation of braking force
- high temperature stability for consistent brake power
- organic formula is low noise and rotor friendly

OFFICIAL SUPPLIER



SINTERED COMPOUND



DISC S

INTENSE POWER FOR DEMANDING CONDITIONS



DISC 16 S

Fits **Shimano** XTR BR-M975, BR-M966, BR-M965, XT BR-M776, BR-M775, BR-M765, SLX BR-M665 **TRP** Dash Carbon



DISC 18 S

Fits **Formula ORO**



DISC 25 S

Fits **Formula RO** Racing, T1 Racing, R1 Racing, R1, C1, CR3, T1, RO, Mega, The One, RX, RR1, CURA



DISC 26 S

Fits **Avid** Elixir 9, 7, 5, 3, 1, CR, R **SRAM** XX, XO, DB 5, 3, 1, Level TL, Level T, Level



DISC 27 S

Fits **Shimano** SAINT BR-M820, BR-M810, ZEE BR-M640 **TRP** Quadiem, Quadiem SL, Slate T4



DISC 30 S

Fits **Magura** MT 2, 4, 6, 8 **Campagnolo** Road Disc



DISC 33 S

Fits **Magura** MT 5, 7



disc brake **SILENCER**

After using it the first time I thought, "That's just a coincidence"

After the second time I thought, "Pretty cool".

After the third time I thought, "It really works. This is great!"

-Alexander Giegerich,
www.fahrradhof-grosswallstadt.de



50 ML



400 ML

CATALYST *disc rotor*

ENGINEERED TO SET A NEW STANDARD


OPTIMUM HEAT DISSIPATION

RELIABLE PERFORMANCE FROM CYCLOCROSS TO DOWNHILL

HIGH DURABILITY, EVEN IN THE TOUGHEST CONDITIONS


RESEARCH AND DEVELOPMENT

1. DESIGN AND MODELLING



In early 2015, the SwissStop engineering team conducted a series of laboratory tests on bicycle brake disc rotors. Next, they created digital models of these rotors and simulated the same test environments using advanced software. A comparison of the data verified that the simulations were accurate and effective, giving the engineers confidence to proceed with creating an array of digital prototypes to thoroughly test and evaluate.


2. HEAT AND STRUCTURE SIMULATIONS



Heat transfer within the design concepts was studied extensively using engineering simulation software. The relationships between convection, radiation, surface area and weight were used to determine the optimal design to maximize heat dissipation and strength while minimizing weight.


The structure of each design was evaluated under braking forces ranging from typical hand pressure up to theoretical maximums. Critical pressure points in the structure were identified in order to maximize the strength and stiffness of the rotor.

3. AIRFLOW ANALYSIS



Computational fluid dynamics (CFD) simulations were performed to study airflow over the surface of the rotor and through the cutouts. A variety of profiles were tested to determine the effects of asymmetrical holes and optimize the cooling effect of airflow over the surfaces.

4. FINAL DESIGN



The final design was confirmed and visualized with further thermal and structural simulations.

A two piece design consisting of a 7075T6 aluminum alloy spider and SUS410 stainless steel brake track was chosen to balance light weight with reliable thermal management and structural performance.

Vibrations are minimized by the geometry of the brake pad contact area.


SWISS ENGINEERING

Thermodynamic simulations, structural analysis and fluid dynamic visualizations were conducted in collaboration with the Institute for Energy Technology at HSR University of Applied Science.

CATALYST disc rotor



5. LABORATORY TESTING



Laboratory testing of the Catalyst disc rotor confirmed the results of the engineering simulations.


The Catalyst excels in endurance testing - delivering consistent brake torque over time while standard brake systems gradually decline and eventually suffer structural failure.

Further tests demonstrated extremely efficient thermal management, notably shorter stopping distances, very low wear rates and structural integrity under hard braking exceeding the current industry leaders.

Practical testing of the prototypes allowed the development team to determine the optimum balance between two of the primary, yet competing, characteristics: brake performance and weight.

A carefully chosen few extra grams of material added to the outer ring translated directly into shorter stopping distances.

Engineers selectively added material to specific sizes to further improve performance and durability.



Thickness by model

Ø 140mm 1.85mm

Ø 160mm 1.80mm

Ø 180mm 1.80mm

Ø 203mm 1.85mm

Compatible with all sintered and organic pad compounds. Optimal performance with SwissStop EXOTHERM 2 and Disc RS compounds.

Accepted by the UCI for road competition.

6. SPECIFICATIONS AND PERFORMANCE COMPARISON

Rotor	Braking Force Dry (N)	Temperature (C)	Braking Force Wet (N)	60 km/h to stop Dry 90 N (m)	60 km/h to stop Wet 90 N (m)	Consumption (%)	Rotor Weight (g)
Catalyst 140mm	722	126	616	56	47	1	110
Shimano RT 81 140mm	645	177	408	113	120	6	98
Catalyst 160mm	824	184	702	52	44	1	128
Shimano RT 81 160mm	838	136	637	52	81	10	120
Catalyst 180mm	964	171	785	44	44	1	156
Shimano RT 81 180mm	925	168	837	50	57	11	140
Catalyst 203mm	1091	166	830	40	42	1	198
Shimano RT 81 203mm	902	182	342	56	57	11	170

COMPOUNDS FOR CARBON RIMS



BLACK PRINCE

EXCELLENT MODULATION



FlashPRO

Fits SRAM | Shim Road



FlashPRO

FULL TYPE

Fits SRAM | Shim Road

TEAMS

TREK / Segafredo[®]
ZANETTI

BORA
hansgrohe



YELLOW KING

FOR CARBON RIMS



FlashPRO

Fits SRAM | Shim Road



FlashPRO

FULL TYPE

Fits SRAM | Shim Road



RacePRO

Fits Campa 10|11 sp



FlashEVO

Fits SRAM | Shim Road



RacePRO

Fits Campa 10|11 sp

Team/Roompot
100% PASSIE 100% ORANJE



Rat

Fits cantilever

COMPOUNDS FOR ALU RIMS



PERFORMANCE

STOPPING DISTANCES

BXP

35 m

GHP2


43 m

competitor

58 m

STOPPING DISTANCE (m), 60 km/h -0, dry conditions

MODULATION



More performance info at www.SwissStop.ch/tech/compounds

BXP

EXTREME PERFORMANCE



FlashPRO

Fits SRAM | Shim Road



FlashPRO FULL TYPE

Fits SRAM | Shim Road



FlashEVO

Fits SRAM | Shim Road

GHP2

HIGH PERFORMANCE



RacePRO

Fits Campa 10|11 sp



VikingPRO

Fits threaded post



Rat

Fits cantilever



RacePRO

Fits Campa 10|11 sp

"I recently completed an epic cycle trip and before doing so, installed your Flash Pro BXP Alloy Rim brakes. I cycled the whole way across the USA - San Francisco, CA to Portsmouth, NH totalling 3808 miles in 47 days. An amazing adventure, which pushed both myself and the bike to the limit. Not only was I impressed by the reliant braking power of the BXP brakes, even in wet conditions and down some very steep mountain passes, but I never had to replace the brake blocks! In fact even returning home, they still look hardly worn. I have never had brake blocks like it and shall certainly never buy anything else but these again! They are one of the best purchases I have made for the bike and I just wanted to let you know."

-Becky Williams, UK

COMPOUNDS FOR ALU RIMS



ORIGINAL BLACK

SMOOTH, RIM FRIENDLY BRAKING



FlashPRO

Fits SRAM | Shim Road



FlashPRO
FULL TYPE

Fits SRAM | Shim Road



RacePRO

Fits Campa 10|11 sp

GREY ECONOMY

ACCESSORY ITEMS



Viking

Fits threaded post



PolierGUMMI

for alu rims



VikingPRO

Fits threaded post



RxPLUS

Fits V-Type



RxPLUS
FULL TYPE

Fits V Type



Rat

Fits cantilever

OEM PARTNERS

TEAMS 2017



Mavic



Lightweight



ZIPP



FFWD



DT Swiss



Vision



Easton



Roval



3T



Tune



AX Lightness



Farsports



BLKTEC



Ursus



SWS



Ambrosio



SRAM



FSA



KCNC



Fourier



Trek - Segafredo

wheels Bontrager
brakes Shimano
pads Bontrager
Flash EVO Black Prince
FlashPro Black Prince



Quickstep

wheels ROVAL
brakes Shimano
pads FlashPro Black Prince



BORA - hansgrohe

wheels ROVAL
brakes Shimano
pads FlashPro Black Prince



Marlux - Napoleon Games

brakes Shimano
pads Disc 28 E



Team Roompot

wheels FFWD
brakes Campa
pads RacePro Black Prince
RacePro BXP



Scott Development MTB

brakes Shimano
pads Disc 28 RS
rotors SwissStop Catalyst

RIM BRAKE PADS

Model	Compound	Rim		Art-Nr. / EAN	pack	box
FlashPro fits SRAM Shim Road	Original Black	Alu		P100001815 7 640121 221316	4	20
	BXP	Alu		P100003203 7 640121 222115		
	Yellow King	Carbon		P100001833 7 640121 221323		
	Black Prince	Carbon		P100003205 7 640121 222139		
Full FlashPro fits SRAM Shim Road	Original Black	Alu		P100001881 7 640121 221354	2	14
	BXP	Alu		P100003331 7 640121 222399		
	Yellow King	Carbon		P100001882 7 640121 221361		
	Black Prince	Carbon		P100003330 7 640121 222382		
Flash EVO fits SRAM Shim Road	BXP	Alu		P100003763 7 640121 222443	4	20
	Black Prince	Carbon		P100003762 7 640121 222436		
RacePro fits Campa 10 11 sp	Original Black	Alu		P100002482 7 640121 221705	4	20
	GHP2 *	Alu		P100002483 7 640121 221712		
	BXP	Alu		P100003208 7 640121 222160		
	Yellow King	Carbon		P100002484 7 640121 221729		
	Black Prince	Carbon		P100003206 7 640121 222146		

RIM BRAKE PADS

Model	Compound	Rim		Art-Nr. / EAN	pack	box
Viking fits threaded post	Grey Economy	Alu		P000647120	pairs	60
VikingPro fits threaded post	Original Black	Alu		P100002773 7 640121 221880	2	14
	GHP2 *	Alu		P100002772 7 640121 221873		
RxPlus fits V-Type	Original Black	Alu		P100002334 7 640121 221545	4	20
	Full RxPlus	Alu		P100002337 7 640121 221576		
Rat fits cantilever	Original Black	Alu		P000310204 7 640121 220055	4	20
	GHP2 *	Alu		P000320404 7 640121 220012		
	Yellow King *	Carbon		P000330504 7 640121 220647		

PolierGummi

PolierGummi	34x20x8.5mm	Cleaning block for alloy rims		P00071340 7 640121 221255		50
--------------------	-------------	-------------------------------	--	------------------------------	--	----

Promotional Items

Compressed Towel	30 x 60cm			P100003788		50
Disc Poster	364 x 364mm			P100004322		

DISC BRAKE PADS

Model	Fit			Art-Nr. / EAN	pack	box
Disc RS						
Disc 28 RS	NEW	Shimano XTR BR-M9000, BR-M9020, BR-M987, XT BR-M8000, BR-M785, SLX BR-M675, BR-M666 FSA K-Force DB-TX-9000, Afterburner DB-TX-9150 REVER MCX1		P100004812 7 640121 223266	2	20
Disc 30 RS	NEW	Magura MT 2, 4, 6, 8 Campagnolo Road Disc		P100005050 7 640121 223273	2	20
Disc 32 RS	NEW	SRAM HRD, eTap HRD, Level Ultimate, Level TLM		P100005051 7 640121 223280	2	20
Disc 34 RS	NEW	Shimano Dura Ace BR-R9170, BR-RS805, BR-RS505, BR-RS405, BR-RS305		P100005052 7 640121 223297	2	20
EXOTherm 2						
Disc 25	UPDATED	Formula RO Racing, T1 Racing, R1 Racing, R1, C1, CR3, T1, RO, Mega, The One, RX, RR1, CURA		P100004703 7 640121 222887	2	20
Disc 26	UPDATED	Avid Elixir 9, 5, 3, 1, CR, R SRAM XX, XO, DB 5, 3, 1, Level TL, Level T, Level		P100004705 7 640121 222894	2	20
Disc 27	UPDATED	Shimano SAINT BR-M820, ZEE BR-M640		P100004707 7 640121 222900	2	20
Disc 28	UPDATED	Shimano XTR BR-M9000, BR-M9020, BR-M987, XT BR-M8000, BR-M785, SLX BR-M675, BR-M666 FSA K-Force DB-TX-9000, Afterburner DB-TX-9150		P100004709 7 640121 222917	2	20
Disc 30	UPDATED	Magura MT 2, 4, 6, 8		P100004711 7 640121 222924	2	20
Disc 31	UPDATED	Avid XO Trail, Elixir 9 Trail, Elixir 7 Trail SRAM Guide Ultimate, RSC, RS, R, RE		P100004713 7 640121 222931	2	20
Disc 32	UPDATED	SRAM HRD, eTap HRD, Level Ultimate, Level TLM		P100004715 7 640121 222948	2	20
Disc 34	UPDATED	Shimano Dura Ace BR-R9170, BR-RS805, BR-RS505, BR-RS405, BR-RS305		P100004819 7 640221 223036	2	20
Organic						
Disc 1		Magura Julie		P000730001 7 640121 220364	2	20
Disc 2		Magura Louise, Clara 2000		P000730002 7 640121 220371	2	20
Disc 3		Magura Louise FR 2002, Clara 2001		P000730003 7 640121 220340	2	20

DISC BRAKE PADS

Model	Fit			Art-Nr. / EAN	pack	box
Disc 5		Shimano Deore BR-M555		P000730005 7 640121 220401	2	20
Disc 10		Magura Marta, Marta SL		P000730010 7 640121 220388	2	20
Disc 11 *		Formula B4/ Racing XC/ Extreme FR/DR/BR Team/Pro/SL		P000730011 7 640121 220272	2	20
Disc 15		Shimano Deore BR-M575, BR-M525, BR-M515, LX BR-T675, BR-M505 TRP Hylex, HY/RD, Spyre SLC Tektro Orion SL HD-M740, Orion HD-M730, HD-M725, Gemini SL HD-M520 / M521 QUAD Disc Brake		P000730015 7 640121 220395	2	20
Disc 16		Shimano XTR BR-M975, BR-M966, BR-M965, XT BR-M776, BR-M775, BR-M765, SLX BR-M665 TRP Dash Carbon		P000730016 7 640121 220425	2	20
Disc 17		Avid Juicy 3, 5, 7, Carbon, Ultimate, BB7 Mechanical		P000730017 7 640121 220470	2	20
Disc 18		Formula ORO		P000730018 7 640121 220531	2	20
Disc 20 *		Hope Mono Mini		P000730020 7 640121 220319	2	20
Disc 21 *		Magura Marta 2009, Louise 2007/08, Louise Bat, Louise Carbon, Julie hp Brake Force One BFO Brake		P000730021 7 640121 220661	2	20
Disc 22 *		Avid Code (2008-2010), Code 5, Code 7		P000730022 7 640121 220678	2	20
Disc 23		Hayes Stroker Ryde, Radar		P100001426 7 640121 220739	2	20
Disc 25		Formula RO Racing, T1 Racing, R1 Racing, R1, C1, CR3, T1, RO, Mega, The One, RX, RR1, CURA		P100001425 7 640121 220753	2	20
Disc 26		Avid Elixir 9, 7, 5, 3, 1, CR, R SRAM XX, XO, DB 5, 3, 1, Level TL, Level T, Level		P100001650 7 640121 220760	2	20
Disc 27		Shimano SAINT BR-M820, BR-M810, ZEE BR-M640 TRP Quadiem, Quadiem SL, Slate T4		P100001651 7 640121 221309	2	20
Disc 28		Shimano XTR BR-M9000, BR-M9020, BR-M987, XT BR-M8000, BR-M785, SLX BR-M675, BR-M666 FSA K-Force DB-TX-9000, Afterburner DB-TX-9150 REVER MCX1		P100001652 7 640121 221767	2	20
Disc 29		Avid Code (2011-2014), Code R		P100001653 7 640121 221774	2	20
Disc 30		Magura MT 2, 4, 6, 8 Campagnolo Road Disc		P100002876 7 640121 221996	2	20

* nur solange Lagervorrat / jusqu'à la fin du stock / fino ad esaurimento delle scorte / while current stock remains

DISC BRAKE PADS

Model	Fit		Art-Nr. / EAN	pack	box
Disc 31	Avid XO Trail, Elixir 9 Trail, Elixir 7 Trail SRAM Guide Ultimate, RSC, RS, R, RE		P100003239 	2	20
Disc 32	SRAM HRD, eTap HRD, Level Ultimate, Level TLM		P100003789 	2	20
Disc 33	Magura MT 5, 7		P100004288 	4	20
Disc E					
Disc 15 E	Shimano Deore BR-M575, BR-M525, BR-M515, LX BR-T675, BR-M505 TRP HyLex, HY/RD, Spyre SLC Tektro Orion SL HD-M740, Orion HD-M730, HD-M725, Gemini SL HD-M520 / M521 QUAD Disc Brake		P100003790 	2	20
Disc 26 E	Avid Elixir 9, 7, 5, 3, 1, CR, R SRAM XX, XO, DB 5, 3, 1, Level TL, Level T, Level		P100003791 	2	20
Disc 27 E <small>NEW</small>	Shimano SAINT BR-M820, BR-M810, ZEE BR-M640 TRP Quadiem, Quadiem SL, Slate T4		P100005266 	2	20
Disc 28 E	Shimano XTR BR-M9000, BR-M9020, BR-M987, XT BR-M8000, BR-M785, SLX BR-M675, BR-M666 FSA K-Force DB-TX-9000, Afterburner DB-TX-9150 REVER MCX1		P100003792 	2	20
Disc 30 E	Magura MT 2, 4, 6, 8 Campagnolo Road Disc		P100003793 	2	20
Disc 31 E <small>NEW</small>	Avid XO Trail, Elixir 9 Trail, Elixir 7 Trail SRAM Guide Ultimate, RSC, RS, R, RE		P100005265 	2	20
Disc 32 E <small>NEW</small>	SRAM HRD, eTap HRD, Level Ultimate, Level TLM		P100005157 	2	20
Disc 34 E	Shimano Dura Ace BR-R9170, BR-RS805, BR-RS505, BR-RS405, BR-RS305		P100005012 	2	20

DISC BRAKE PADS

Model	Fit		Art-Nr. / EAN	pack	box
Sintered					
Disc 16 S *	Shimano XTR BR-M975, BR-M966, BR-M965, XT BR-M776, BR-M775, BR-M765, SLX BR-M665 TRP Dash Carbon		P100002785 	2	20
Disc 18 S *	Formula ORO		P100002787 	2	20
Disc 25 S *	Formula RO Racing, T1 Racing, R1 Racing, R1, C1, CR3, T1, RO, Mega, The One, RX, RR1, CURA		P100002788 	2	20
Disc 26 S *	Avid Elixir 9, 7, 5, 3, 1, CR, R SRAM XX, XO, DB 5, 3, 1, Level TL, Level T, Level		P100002789 	2	20
Disc 27 S *	Shimano SAINT BR-M820, BR-M810, ZEE BR-M640 TRP Quadiem, Quadiem SL, Slate T4		P100003797 	2	20
Disc 30 S *	Magura MT 2, 4, 6, 8 Campagnolo Road Disc		P100003794 	2	20
Disc 33 S *	Magura MT 5, 7		P100004289 	4	20


Disc Rotor

140 mm	6 bolt		P100005008 	1	10
160 mm	6 bolt		P100005009 		
180 mm	6 bolt		P100005010 		
203 mm	6 bolt		P100005011 		

Silencer

SwissStop Disc Brake Silencer	50 ml	DE / FR / IT / EN / ES / NL / DK		P100002354 	12
	400 ml	DE / FR / IT / EN / ESP / NL		P100004436 	

* nur solange Lagervorrat / jusqu'à la fin du stock / fino ad esaurimento delle scorte / while current stock remains



SwissStop®
cycling brake power

2018

© 2017 Rex Articoli Tecnici SA
via Catenazzi 1
6850 Mendrisio
Switzerland

www.SwissStop.ch

ENGLISH