




2021

ENGLISH

INDEX

4-5	Introduction
6-7	Teams and OEM Partners
8-9	Catalyst Disc Brake Rotor Development
10-11	Catalyst Family Introduction
12-13	Catalyst One
14-15	Catalyst Pro
16-17	Catalyst Race
18-19	Disc RS disc brake pads
20-21	Disc E disc brake pads
22-23	EXOTerm2 disc brake pads
24-26	Disc C disc brake pads
27	Disc Brake Silencer
28	Disc Brake Power-Clean
29-30	Rim brake pads for carbon wheels
32-35	Rim brake pads for alloy wheels

**BECAUSE YOU RIDE
EVERYWHERE.**



SwissStop 2021 Growth and Evolution with the Bicycle Market

We are pleased to present the 2021 SwissStop product portfolio. It includes a range of new items, each developed using our expertise in the laboratory and our knowledge of the ongoing evolution of bicycle brake systems. These new releases, in conjunction with significant investment in our production facilities here in Mendrisio, are our response to increased demand and together have SwissStop well-positioned on a growth path for the future.

Continued expansion in the range of SwissStop products for disc brake systems is our current focus. Additions to the line for 2021 include two new types of Catalyst disc brake rotors and new Catalyst Family structure, a new size of the current Catalyst disc brake rotor, new models in the SwissStop Disc RS brake pad collection, and the new SwissStop Disc Brake Power-Clean cleaning product.

The trend towards disc brake systems will continue. For example, the technology has now reached every corner of professional cycling with now widespread adoption in road racing. In support of our ongoing development of disc brake components, SwissStop continues to sponsor the UCI World Tour level Israel Start-Up Nation Professional Team - which we look forward to seeing again at the biggest events and Grand Tours that will be part of the upcoming season.



ATHLETES AND TEAMS

SwissStop supports individual athletes and teams around the world including:
Scott Development MTB Team
Pauwels Sauzen-Bingoal
Israel Start-Up Nation



OEM PARTNERS AND COMPATIBLE PRODUCTS

SwissStop is proud to work with many of the finest companies in the bicycle industry.


Wheelbuilders - Black Prince OEM partners and approved products			
3T	DT Swiss	FSE	Spinergy
AX-Lightness	Easton	Full Tech	Tune
Bikebeat	EAS	Pro-Lite	Ursus
BLKTEC Carbon	Farsports	Roval	Unaas
Bontrager (since 2015)	FFWD	Roadsailer	Vision
Comete	FSA	Rollingstone	Zipp
Wheelbuilders - Yellow King OEM partners and approved products			
Abrasio	FSA	Mavic (carbon)	
Easton	FSE	Vision	
Farsports	Full Tech	Zipp	
Wheelbuilders - BXP OEM partners			
Xentis including carbon wheels		DT Swiss Oxic	
Tune alloy wheels			
Brakes - Original Black OEM		Brakes - Custom compound for alloy	
SRAM Rival		SRAM Force	
SRAM Apex		SRAM Red	
Brakes - Yellow King OEM		Exclusive Compounds	
Fouriers		Lightweight	
		Mavic Exalith 2	
		Zipp Platinum	

CATALYST DISC BRAKE ROTOR

THE DEVELOPMENT PROJECT




1. DESIGN AND MODELLING



2015 — Development Begins

The SwissStop engineering team conducted a series of laboratory tests on bicycle brake disc rotors. Next, they created digital models of these rotors and simulated the same test environments using advanced software. A comparison of the data verified that the simulations were accurate and effective, giving the engineers confidence to proceed with creating an array of digital prototypes to thoroughly test and evaluate.


2. HEAT AND STRUCTURE SIMULATIONS



Heat transfer within the design concepts was studied extensively using engineering simulation software. The relationships between convection, radiation, surface area and weight were used to determine the optimal design to maximize heat dissipation and strength while minimizing weight.


The structure of each design was evaluated under braking forces ranging from typical hand pressure up to theoretical maximums. Critical pressure points in the structure were identified in order to maximize the strength and stiffness of the rotor.

3. AIRFLOW ANALYSIS



Computational fluid dynamics (CFD) simulations were performed to study airflow over the surface of the rotor and through the cut-outs in the brake pad contact area. A variety of profiles were tested to determine the effects of asymmetrical holes and optimize the cooling effect of airflow over the surfaces.

4. CATALYST DESIGN



2016 — First Catalyst Model Announced

The performance of the Catalyst design was confirmed with further digital modelling and thermodynamic simulation studies. Following this phase, physical prototypes were produced for extensive lab and field testing. The process validated the design. Upon completion, the first Catalyst model, featuring a 7075T6 aluminum alloy spider and SUS410 stainless steel brake track, was formally announced.

2017-2020 — Cyclists of all types, including top MTB, Cyclocross and UCI World Tour road athletes, discover the power, durability and reliability of Catalyst rotors.

2021 — The SwissStop engineering team applied the Catalyst design concept to new rotor designs, focusing on the requirements of ever-more specific applications that riders encounter. New one-piece and race-optimized two-piece models are developed.

SWISS ENGINEERING

Thermodynamic simulations, structural analysis and fluid dynamic visualizations were conducted in collaboration with the Institute for Energy Technology at Eastern Switzerland University of Applied Science.



INTRODUCING THE CATALYST FAMILY OF DISC BRAKE ROTORS



THE EVOLUTION OF CATALYST

The extensive research, development and Swiss engineering behind the original Catalyst has lead to the development of a new family of disc brake rotors. The powerful braking, exceptionally good heat management and high durability that Catalyst is known for is now available across an extended range of models.

Innovative features like built-in wear-out indicators are included on all Catalyst rotors. Catalyst Pro has diameter specific brake ring


thicknesses that exemplify our goal of optimizing weight without sacrificing brake performance or strength. The unique geometry of the brake ring cut outs provide smooth, vibration-free operation and all SwissStop Catalyst brake rotors have rounded outer edges.

With new models, additional sizes and application focused designs, the new SwissStop Catalyst family of disc brake rotors offers more choice, finely tuned performance and durability than ever before.



CATALYST / ONE *disc rotor*

SIMPLY POWERFUL BRAKING



CATALYST / PRO *disc rotor*

READY FOR EVERYTHING

CATALYST / RACE *disc rotor*

LIGHTWEIGHT AND WITHOUT
COMPROMISE





CATALYST/ONE


disc rotor



CATALYST ONE | SIMPLY POWERFUL BRAKING

DESCRIPTION

- One piece rotor featuring the tested and proven Catalyst brake ring
- 140 | 160 | 180 | 203 mm sizes
- 6-bolt mount
- 1.95 mm thickness
- can be used with adapter for Centerlock hubs
- 140 and 160 mm are UCI approved



Centerlock Adapter

Art-Nr.	P100006105
EAN	7640121224416

MODELS



140 mm

Art-Nr.	P100006100
EAN	7640121224362



160 mm

Art-Nr.	P100006101
EAN	7640121224379



180 mm

Art-Nr.	P100006102
EAN	7640121224386



203 mm

Art-Nr.	P100006103
EAN	7640121224393

CATALYST/PRO

disc rotor



CATALYST PRO | READY FOR ANYTHING

DESCRIPTION

- the original Catalyst that set new standards for performance and durability
- two-piece construction
- 6-bolt and Centerlock mount
- aluminum alloy spider provides increased stiffness
- brake ring thickness is optimized and specific to each diameter
- 140 | 160 | 180 | 203 | 220 mm sizes
- 140 and 160 mm are UCI approved
- used by top road, mountain and cyclocross teams


DIAMETER SPECIFIC BRAKE RING THICKNESS

CATALYST PRO MODEL	THICKNESS
Ø 140mm	1.85 mm
Ø 160mm	1.80 mm
Ø 180mm	1.90 mm
Ø 203mm	1.95 mm
Ø 220mm	1.95 mm

SwissStop TEAMS



CENTERLOCK MODELS




140 mm

Art-Nr.	P100005612
EAN	7640121223808




160 mm

Art-Nr.	P100005493
EAN	7640121223761




180 mm

Art-Nr.	P100005494
EAN	7640121223778



203 mm

Art-Nr.	P100005708
EAN	7640121223983




220 mm

Art-Nr.	P100006045
EAN	7640121224195


NEW

6-BOLT MODELS




140 mm

Art-Nr.	P100005008
EAN	7640121223174




160 mm

Art-Nr.	P100005009
EAN	7640121223181




180 mm

Art-Nr.	P100005010
EAN	7640121223198



203 mm

Art-Nr.	P100005011
EAN	7640121223204



220 mm

Art-Nr.	P100006046
EAN	7640121224201

NEW

CATALYST / RACE

disc rotor



CATALYST RACE | LIGHTWEIGHT AND WITHOUT COMPROMISE


DESCRIPTION

- 12% lighter than Catalyst Pro
- two-piece construction
- brake ring dimensions are optimized for race pads
- aluminum alloy spider provides increased stiffness
- new spider design for improved aerodynamics
- 140 | 160 mm sizes
- Centerlock mount
- 140 and 160 mm are UCI approved



Catalyst disc brake rotors are used by the Israel Start-Up Nation Professional Cycling Team throughout the UCI World Tour season.

MODELS



NEW

140 mm

Art-Nr.	P100006095
EAN	7640121224324



NEW

160 mm


Art-Nr.	P100006096
EAN	7640121224331



FEATURES AND DESIGN

Rated from 0 - 10 (best)

INITIAL BITE	10
MODULATION	8
LONGEVITY	8
HEAT TOLERANCE	8
NOISE - DRY	10
NOISE - WET	10



SMOOTH, POWERFUL BRAKING

Disc RS is an organic compound which delivers powerful braking and precisely balances the performance characteristics important to racers and everyday riders alike:

- consistently silent operation
- smooth feel in the brake lever
- predictable and progressive brake power
- very high durability

QUIET IN BOTH WET AND DRY CONDITIONS

Disc RS provides extremely quiet operation in all environmental conditions including wet, dry, snow and ice.

THIN BACKPLATE DESIGN

At 1.6mm thick the steel backplate saves weight over standard designs, yet provides the preferred thermal characteristics, strength and stability of steel.

The reduced backplate thickness is offset by additional friction material, providing longer pad service life.

BALANCED PERFORMANCE

Disc RS offers a highly balanced combination of brake performance, durability and incredibly low noise in all conditions. This finely tuned compound provides an ideal riding experience which is not found in other disc brake pads.

DISC RS

RACE READY | SILENT POWER



DISC 27 RS

Art-Nr. P100006049 EAN 7640121224225
Fits **Shimano** XTR BR-M9120, XT BR-M8120, BR-M8020, SLX BR-M7120, DEORE BR-M6120, BR-MT420 **TRP** Quadiem, Quadiem SL, Slate T4 **Tektro** HD-M750, HD-M745, HD-M735, HD-E725



DISC 28 RS

Art-Nr. P100004812 EAN 7640121223266
Fits **Shimano** XTR BR-M9000, BR-M9020, BR-M987, XT BR-M8100, BR-M8000, BR-M785, SLX BR-M7100, BR-M7000, BR-M675, DEORE BR-M6100, BR-M6000, BR-M615 **FSA** K-Force DB-TX-9000, Afterburner DB-TX-9150 **REVER** MCX1 Post Mount



DISC 29 RS

Art-Nr. P100006051 EAN 7640121224232
Fits **SRAM** Code R (2018+), RSC (2018+), Guide **RE Avid** Code (2011-2014), Code R



DISC 30 RS

Art-Nr. P100005050 EAN 7640121223273
Fits **Magura** MT 2, 4, 6, 8 **CAMPA** Road Disc



DISC 31 RS

Art-Nr. P100005719 EAN 7640121223952
Fits **SRAM** G2 Ultimate, RSC, Guide Ultimate, RSC, RS, R, T **Avid** XO Trail, Elixir 9 Trail, Elixir 7 Trail



DISC 32 RS

Art-Nr. P100005051 EAN 7640121223280
Fits **SRAM** Red eTap AXS (Gen. 1 'Mono-Bloc' caliper), eTap HRD, Red 22 HRD (B1), Force Force 22 HRD (B1), Force 1 HRD, Rival Rival 22 HRD (B1), Rival 1 HRD, Apex Apex 1 HRD, S-700 HRD (B1), Level Ultimate, Level TLM (2016-2019)



DISC 34 RS

Art-Nr. P100005052 EAN 7640121223297
Fits **Shimano** Dura Ace BR-R9170, Ultegra BR-R8070, 105 BR-R7070, Tiagra BR-4770 **Tektro** HD-R310 **REVER** MCX1 Flat Mount



DISC 35 RS

Art-Nr. P100005796 EAN 7640121224003
Fits **SRAM** Red eTap AXS (Gen. 2 'Two-Piece' caliper), Force eTap AXS, Level Ultimate, Level TLM B1 (2020+), Level TL, XX **Avid** Elixir 9, 7, 5





CHARACTERISTICS

Rated from 0 - 10 (best)


INITIAL BITE	7
MODULATION	9
LONGEVITY	9
HEAT TOLERANCE	9
NOISE - DRY	9
NOISE - WET	7

- long lasting, high endurance pad compound
- very easy modulation of braking force
- high temperature stability for consistent brake power
- organic formula is low noise and rotor friendly
- Disc E is the designated replacement for Disc S compound



DISC 15 E

Art-Nr. P100003790 EAN 7640121222474
Fits **Shimano** Deore BR-MT410, BR-M575, BR-M525, LX BR-T675, Alivio BR-M4050, Acera BR-M3050 **TRP** Hylex, HY/RD, Spyre SLC, Spyre **Tektro** Orion SL HD-M740, Orion HD-M730, HD-M725, Gemini SL HD-M520 / M521, Gemini HD-M500 / M501, HD-M510 **QUAD** Disc Brake



DISC 26 E

Art-Nr. P100003791 EAN 7640121222481
Fits **SRAM** XX, XO, DB 5, 3, 1, Level TL, Level T, Level **Avid** Elixir 9, 7, 5, 3, 1, CR, R



DISC 27 E

Art-Nr. P100005266 EAN 7640121223341
Fits **Shimano** XTR BR-M9120, XT BR-M8120, BR-M8020, SLX BR-M7120, DEORE BR-M6120, BR-MT420 **TRP** Quadiem, Quadiem SL, Slate T4 **Tektro** HD-M750, HD-M745, HD-M735, HD-E725

DISC E

HIGH ENDURANCE | EASY MODULATION




DISC 28 E

Art-Nr. P100003792 EAN 7640121222498
Fits **Shimano** XTR BR-M9000, BR-M9020, BR-M987, XT BR-M8100, BR-M8000, BR-M785, SLX BR-M7100, BR-M7000, BR-M675, DEORE BR-M6100, BR-M6000, BR-M615 **FSA** K-Force DB-TX-9000, Afterburner DB-TX-9150 **REVER** MCX1 Post Mount



DISC 29 E

Art-Nr. P100005619 EAN 7640121223815
Fits **SRAM** Code R (2018+), RSC (2018+), Guide RE **Avid** Code (2011-2014), Code R



DISC 30 E

Art-Nr. P100003793 EAN 7640121222504
Fits **Magura** MT 2, 4, 6, 8 **CAMPA** Road Disc



DISC 31 E

Art-Nr. P100005265 EAN 7640121223358
Fits **SRAM** G2 Ultimate, RSC, Guide Ultimate, RSC, RS, R, T **Avid** XO Trail, Elixir 9 Trail, Elixir 7 Trail



DISC 32 E

Art-Nr. P100005157 EAN 7640121223242
Fits **SRAM** Red eTap AXS (Gen. 1 'Mono-Bloc' caliper), eTap HRD, Red 22 HRD (B1), Force Force 22 HRD (B1), Force 1 HRD, Rival Rival 22 HRD (B1), Rival 1 HRD, Apex Apex 1 HRD, S-700 HRD (B1), Level Ultimate, Level TLM (2016-2019)



DISC 33 E

Art-Nr. P100005620 EAN 7640121223822
Fits **Magura** MT 5, 7



DISC 34 E

Art-Nr. P100005012 EAN 7640121223211
Fits **Shimano** Dura Ace BR-R9170, Ultegra BR-R8070, 105 BR-R7070, Tiagra BR-4770 **Tektro** HD-R310 **REVER** MCX1 Flat Mount



DISC 35 E


Art-Nr. P100005797 EAN 7640121224010
Fits **SRAM** Red eTap AXS (Gen. 2 'Two-Piece' caliper), Force eTap AXS, Level Ultimate, Level TLM B1 (2020+)

AWARD WINNING DURABILITY



EXOTHERM2



MAXIMUM PAD LIFE MINIMUM BRAKE FADE



Based on the award winning SwissStop Disc E compound, EXOTherm2 provides high performance braking at all levels of use while minimizing pad wear.



With EXOTherm2 brake system temperatures are dramatically lower than standard pads, reducing wear on pads and rotors. Lower temperatures also mean more consistent brake performance by reducing brake fade - the reduction of brake power caused by overheated components.



DISC 25

Art-Nr. P100005313 EAN 7640121223594
Fits **Formula** R0 Racing, T1 Racing, R1 Racing, R1, C1, CR3, T1, R0, Mega, The One, RX, RR1



DISC 26

Art-Nr. P100005311 EAN 7640121223570
Fits **SRAM** XX, XO, DB 5, 3, 1, Level TL, Level T, Level **Avid** Elixir 9, 5, 3, 1, CR, R



DISC 27

Art-Nr. P100005312 EAN 7640121223587
Fits **Shimano** BR-M8020



DISC 28

Art-Nr. P100005310 EAN 7640121223563
Fits **Shimano** XTR BR-M9000, BR-M9020, BR-M987, XT BR-M8100, BR-M8000, BR-M785, SLX BR-M7100, BR-M675, BR-M666, BR-M615
FSA K-Force DB-TX-9000, Afterburner DB-TX-9150



DISC 30

Art-Nr. P100005314 EAN 7640121223600
Fits **Magura** MT 2, 4, 6, 8
CAMPA Road Disc



DISC 31

Art-Nr. P100005315 EAN 7640121223617
Fits **SRAM** Guide Ultimate, RSC, RS, R, T **Avid** XO Trail, Elixir 9 Trail, Elixir 7 Trail



DISC 32

Art-Nr. P100005316 EAN 7640121223624
Fits **SRAM** Red eTap AXS (Gen. 1 'Mono-Bloc' calliper), eTap HRD, Red 22 HRD (B1), Force Force 22 HRD (B1), Force 1 HRD, Rival Rival 22 HRD (B1), Rival 1 HRD, Apex Apex 1 HRD, S-700 HRD (B1), Level Ultimate, Level TLM (2016-2019)



DISC 34

Art-Nr. P100005317 EAN 7640121223631
Fits **Shimano** Dura Ace BR-R9170, Ultegra BR-R8070, 105 BR-R7070, Tiagra BR-4770

CHARACTERISTICS

Rated from 0 - 10 (best)

INITIAL BITE	7
MODULATION	9
LONGEVITY	10
HEAT TOLERANCE	10
NOISE - DRY	9
NOISE - WET	7



CHARACTERISTICS

Rated from 0 - 10 (best)

INITIAL BITE	9
MODULATION	8
LONGEVITY	7
HEAT TOLERANCE	7
NOISE - DRY	9
NOISE - WET	9

- versatile organic Kevlar/brass/ceramic compound
- excellent braking performance and durability
- extremely low noise



DISC 2 C

Art-Nr. P000730002 EAN 7640121220371
Fits **Magura** Louise, Clara 2000



DISC 3 C

Art-Nr. P000730003 EAN 7640121220340
Fits **Magura** Louise FR 2002, Clara 2001



DISC 5 C

Art-Nr. P000730005 EAN 7640121220401
Fits **Shimano** Deore BR-M555



DISC 21 C

Art-Nr. P000730021 EAN 7640121220661
Fits **Magura** Marta 2009, Louise 2007/08, Louise Bat, Louise Carbon, Julie hp **Brake Force One** BFO Brake



DISC 22 C

Art-Nr. P000730022 EAN 7640121220678
Fits **Avid** Code (2008-2010), Code 5, Code 7



DISC 23 C

Art-Nr. P100001426 EAN 7640121220739
Fits **Hayes** Stroker Ryde, Radar



SMOOTH POWER | LOW NOISE



DISC 10 C

Art-Nr. P000730010 EAN 7640121220388
Fits **Magura** Marta, Marta SL



DISC 11 C

Art-Nr. P000730011 EAN 7640121220272
Fits **Formula** B4/ Racing XC/ Extreme FR/DR/ BR Team/Pro/SL



DISC 15 C

Art-Nr. P000730015 EAN 7640121220395
Fits **Shimano** Deore BR-MT410, BR-M575, BR-M525, LX BR-T675, Alivio BR-M4050, Acera BR-M3050 **TRP** Hylex, HY/RD, Spyre SLC, Spyre **Tektro** Orion SL HD-M740, Orion HD-M730, HD-M725, Gemini SL HD-M520 / M521, Gemini HD-M500 / M501, HD-M510 **QUAD** Disc Brake



DISC 16 C

Art-Nr. P000730016 EAN 7640121220425
Fits **Shimano** XTR BR-M975, BR-M966, BR-M965, XT BR-M776, BR-M775, BR-M765, SLX BR-M665, LX BR-M585, BR-T665, BR-T605 **TRP** Dash Carbon



DISC 17 C

Art-Nr. P000730017 EAN 7640121220470
Fits **Avid** Juicy 3, 5, 7, Carbon, Ultimate, BB7 Mechanical



DISC 18 C

Art-Nr. P000730018 EAN 7640121220531
Fits **Formula** ORO



DISC C

SMOOTH POWER | LOW NOISE



DISC 25 C

Art-Nr. P100001425 EAN 7640121220753

Fits **Formula** R0 Racing, T1 Racing, R1 Racing, R1, C1, CR3, T1, R0, Mega, The One, RX, RR1, CURA



DISC 26 C

Art-Nr. P100001650 EAN 7640121220760

Fits **SRAM** XX, XO, DB 5, 3, 1, Level TL, Level T, Level **Avid** Elixir 9, 7, 5, 3, 1, CR, R



DISC 27 C

Art-Nr. P100001651 EAN 7640121221309

Fits **Shimano** XTR BR-M9120, XT BR-M8120, BR-M8020, SLX BR-M7120, DEORE BR-M6120, BR-MT420 **TRP** Quadiem, Quadiem SL, Slate T4 **Tektro** HD-M750, HD-M745, HD-M735, HD-E725



DISC 28 C

Art-Nr. P100001652 EAN 7640121221767

Fits **Shimano** XTR BR-M9000, BR-M9020, BR-M987, XT BR-M8100, BR-M8000, BR-M785, SLX BR-M7100, BR-M7000, BR-M675, DEORE BR-M6100, BR-M6000, BR-M615 **FSA** K-Force DB-TX-9000, Afterburner DB-TX-9150 **REVER** MCX1 Post Mount



DISC 29 C

Art-Nr. P100001653 EAN 7640121221774

Fits **SRAM** Code R (2018+), RSC (2018+), Guide RE **Avid** Code (2011-2014), Code R



DISC 30 C

Art-Nr. P100002876 EAN 7640121221996

Fits **Magura** MT 2, 4, 6, 8 **CAMPA** Road Disc



DISC 31 C

Art-Nr. P100003239 EAN 7640121222177

Fits **SRAM** G2 Ultimate, RSC, Guide Ultimate, RSC, RS, R, T **Avid** XO Trail, Elixir 9 Trail, Elixir 7 Trail



DISC 32 C

Art-Nr. P100003789 EAN 7640121222467

Fits **SRAM** Red eTap AXS (Gen. 1 'Mono-Bloc' caliper), eTap HRD, Red 22 HRD (B1), Force Force 22 HRD (B1), Force 1 HRD, Rival Rival 22 HRD (B1), Rival 1 HRD, Apex Apex 1 HRD, S-700 HRD (B1), Level Ultimate, Level TLM (2016-2019)



DISC 33 C

Art-Nr. P100004288 EAN 7640121222726

Fits **Magura** MT 5, 7

disc brake SILENCER

After using it the first time I thought, "That's just a coincidence"
After the second time I thought, "Pretty cool".
After the third time I thought, "It really works. This is great!"

-Alexander Giegerich,
www.fahrradhof-grosswallstadt.de

PERFORMANCE

- prevents and reduces brake squealing, without impairing the braking effect
- simultaneously dissipates heat
- prevents non-uniform wear
- eliminates vibration on braking



50 ML



400 ML

INTRODUCING

disc brake **POWER-CLEAN**



DESCRIPTION

SwissStop Disc Brake Power-Clean is the acetone-free solution for degreasing, loosening stuck parts and taking care of bicycle disc brake components. Soiled brake systems and metal parts are freed from organic and mineral dirt in no time - even adhesive residues can be removed. It displaces moisture, evaporates without a trace and can help prevent brakes from squealing.



**BECAUSE YOU RIDE
EVERYWHERE.**

COMPOUNDS FOR CARBON RIMS



BLACK PRINCE

EXCELLENT MODULATION



FlashPRO

Art-Nr. P100003205 EAN 7640121222139
Fits SRAM | Shim Road and Campa retention screw type

FlashPRO FULL TYPE

Art-Nr. P100003330 EAN 7640121222382
Fits SRAM | Shim Road

FlashEVO

Art-Nr. P100003762 EAN 7640121222436
Fits SRAM | Shim Road and Campa retention screw type



RacePRO

Art-Nr. P100003206 EAN 7640121222146
Fits Campa with retention spring or friction fit (10 sp and newer)

YELLOW KING

FOR CARBON RIMS



FlashPRO

Art-Nr. P100001833 EAN 7640121221323
Fits SRAM | Shim Road and Campa retention screw type

FlashPRO FULL TYPE

Art-Nr. P100001882 EAN 7640121221361
Fits SRAM | Shim Road



RacePRO

Art-Nr. P100002484 EAN 7640121221729
Fits Campa with retention spring or friction fit (10 sp and newer)



Rat

Art-Nr. P000330504 EAN 7640121220647
Fits cantilever

COMPOUNDS FOR ALU RIMS

BXP

EXTREME PERFORMANCE

PERFORMANCE



FlashPRO

Art-Nr. P100003203 EAN 7640121222115
Fits SRAM | Shim Road and Campa retention screw type



FlashPRO FULL TYPE

Art-Nr. P100003331 EAN 7640121222399
Fits SRAM | Shim Road



FlashEVO

Art-Nr. P100003763 EAN 7640121222443
Fits SRAM | Shim Road and Campa retention screw type




RacePRO


Art-Nr. P100003208 EAN 7640121222160
Fits Campa with retention spring or friction fit (10 sp and newer)

STOPPING DISTANCES

MODULATION



STOPPING DISTANCE (m), 60 km/h -0, dry conditions



HAND FORCE at brake lever (N)

More performance info at www.SwissStop.ch/tech/compounds

COMPOUNDS FOR ALU RIMS

ADDITIONAL ITEMS AND ACCESSORIES

ORIGINAL BLACK

SMOOTH, RIM FRIENDLY BRAKING

GREY ECONOMY

ACCESSORY ITEMS



FlashPRO

Art-Nr. P100001815 EAN 7640121221316
Fits SRAM | Shim Road and Campa retention screw type



FlashPRO FULL TYPE

Art-Nr. P100001881 EAN 7640121221354
Fits SRAM | Shim Road



RacePRO

Art-Nr. P100002482 EAN 7640121221705
Fits Campa with retention spring or friction fit (10 sp and newer)



Viking

Art-Nr. P000647120
Fits threaded post



PolierGUMMI

Art-Nr. P000771340 EAN 7640121221255
for alu rims



VikingPRO

Art-Nr. P100002773 EAN 7640121221880
Fits threaded post



RxPLUS

Art-Nr. P100002334 EAN 7640121221545
Fits V-Type



RxPLUS FULL TYPE

Art-Nr. P100002337 EAN 7640121221576
Fits V-Type



Rat

Art-Nr. P000310204 EAN 7640121220005
Fits cantilever

