




2023

ENGLISH

INDEX

4-5	Introduction
6-7	Teams and OEM Partners
8-9	Catalyst Disc Brake Rotor Development
10-11	Catalyst Family Overview
12-13	Catalyst One
14-15	Catalyst Pro
16-17	Catalyst Race
18-19	Disc RS disc brake pads
20-21	Disc E disc brake pads
22-23	EXOTerm2 disc brake pads
24-25	Disc C disc brake pads
26	Disc Brake Power-Clean
27	Disc Brake Silencer
28	Accessories
30-31	Rim brake pads for carbon wheels
32-35	Rim brake pads for alloy wheels

**BECAUSE YOU RIDE
EVERYWHERE.**



SwissStop 2023

Constant evolution to improve your cycling experience.

We are pleased to present the SwissStop product range for the year 2023. SwissStop strives to meet the demanding needs of safety and constant changes in the market at the highest quality level. The newly installed automated production line for disc brake pads at our headquarters in Mendrisio enables us to meet the growing market demand with the highest Swiss Made quality.

Our SwissStop product line is constantly evolving based on decades of experience, feedback from the market, testing in the lab and in the field.

The product range includes our proven rubber compounds for aluminum and carbon rims.

To meet the different demands of cyclists, we offer four different brake pad compounds. Our RS (race ready, silent power) disc pads (for example) are characterized by maximum braking power and very low noise in dry and wet conditions. With the models E and Exotherm2 you can count on high heat tolerance and very long life. Our proven and reliable C compound perfectly rounds off the SwissStop brake pad range.

Further, with our Catalyst family we offer a wide selection of high-quality disc brake rotors in different price ranges. The Catalyst One and Pro are available from 140mm - 220mm diameter and some of these models are compatible with our E-Bike Speed Sensor Magnet. For fans of lightweight parts, the Catalyst Pro is the reliable choice. All Catalyst brake discs have rounded edges and wear indicators.

To further develop our products at the highest level, we work with various MTB and road cycling teams. The feedback from athletes who use our SwissStop disc pads and Catalyst brake rotors in various disciplines provides valuable input for our R&D department. The information we gain from partnerships with teams has helped develop and refine the SwissStop products in our 2023 catalog. We will continue to do so in the future.

SwissStop. Because you ride everywhere.



ATHLETES AND TEAMS

SwissStop supports individual athletes and teams around the world including:
Giant France MTB Team
Bingoal - Pauwels Sauzen
Vondelmolen – De Ceuster – Bonache Cycling Team



OEM PARTNERS AND COMPATIBLE PRODUCTS

SwissStop is proud to work with many of the finest companies in the bicycle industry.

Wheelbuilders - Black Prince OEM partners and approved products			
3T	DT Swiss	FSE	Spinergy
AX-Lightness	Easton	Full Tech	Tune
Bikebeat	EAS	Pro-Lite	Ursus
BLKTEC Carbon	Farsports	Roval	Unaas
Bontrager (since 2015)	FFWD	Roadsailer	Vision
Comete	FSA	Rollingstone	Zipp

Wheelbuilders - Yellow King OEM partners and approved products		
Abrasio	FSA	Mavic (carbon)
Easton	FSE	Vision
Farsports	Full Tech	Zipp

Wheelbuilders - BXP OEM partners	
Xentis including carbon wheels	DT Swiss Oxic
Tune alloy wheels	

Brakes - Original Black OEM
SRAM Rival
SRAM Apex

Brakes - Custom compound for alloy
SRAM Force
SRAM Red

Brakes - Yellow King OEM
Fouriers


Exclusive Compounds
Lightweight
Mavic Exalith 2
Zipp Platinum

CATALYST DISC BRAKE ROTOR

THE DEVELOPMENT PROJECT




1. DESIGN AND MODELLING



2015 — Development Begins

The SwissStop engineering team conducted a series of laboratory tests on bicycle brake disc rotors. Next, they created digital models of these rotors and simulated the same test environments using advanced software. A comparison of the data verified that the simulations were accurate and effective, giving the engineers confidence to proceed with creating an array of digital prototypes to thoroughly test and evaluate.


2. HEAT AND STRUCTURE SIMULATIONS



Heat transfer within the design concepts was studied extensively using engineering simulation software. The relationships between convection, radiation, surface area and weight were used to determine the optimal design to maximize heat dissipation and strength while minimizing weight.


The structure of each design was evaluated under braking forces ranging from typical hand pressure up to theoretical maximums. Critical pressure points in the structure were identified in order to maximize the strength and stiffness of the rotor.

3. AIRFLOW ANALYSIS



Computational fluid dynamics (CFD) simulations were performed to study airflow over the surface of the rotor and through the cut-outs in the brake pad contact area. A variety of profiles were tested to determine the effects of asymmetrical holes and optimize the cooling effect of airflow over the surfaces.

4. CATALYST DESIGN



2016 — First Catalyst Model Announced

The performance of the Catalyst design was confirmed with further digital modelling and thermodynamic simulation studies. Following this phase, physical prototypes were produced for extensive lab and field testing. The process validated the design. Upon completion, the first Catalyst model, featuring a 7075T6 aluminum alloy spider and SUS410 stainless steel brake track, was formally announced.

2017-2020 — Cyclists of all types, including top MTB, Cyclocross and UCI World Tour road athletes, discover the power, durability and reliability of Catalyst rotors.

2021 — The SwissStop engineering team applied the Catalyst design concept to new rotor designs, focusing on the requirements of ever-more specific applications that riders encounter. New one-piece and race-optimized two-piece models are developed.

SWISS ENGINEERING

Thermodynamic simulations, structural analysis and fluid dynamic visualizations were conducted in collaboration with the Institute for Energy Technology at Eastern Switzerland University of Applied Science.



THE CATALYST FAMILY OF DISC BRAKE ROTORS



THE EVOLUTION OF CATALYST

The extensive research, development and Swiss engineering behind the original Catalyst has lead to the development of a new family of disc brake rotors. The powerful braking, exceptionally good heat management and high durability that Catalyst is known for is now available across an extended range of models.

Innovative features like built-in wear-out indicators are included on all Catalyst rotors. Catalyst Pro has diameter specific brake ring


thicknesses that exemplify our goal of optimizing weight without sacrificing brake performance or strength. The unique geometry of the brake ring cut outs provide smooth, vibration-free operation and all SwissStop Catalyst brake rotors have rounded outer edges.

With new models, additional sizes and application focused designs, the new SwissStop Catalyst family of disc brake rotors offers more choice, finely tuned performance and durability than ever before.



CATALYST/ONE disc rotor

SIMPLY POWERFUL BRAKING



CATALYST/PRO disc rotor

READY FOR EVERYTHING

CATALYST/RACE disc rotor

LIGHTWEIGHT AND WITHOUT
COMPROMISE






CATALYST | ONE

disc rotor




CENTERLOCK MODELS



140 mm

Art-Nr.	P100006264
EAN	7640121225130




160 mm

Art-Nr.	P100006235
EAN	7640121224645




180 mm

Art-Nr.	P100006236
EAN	7640121224652



203 mm

Art-Nr.	P100006237
EAN	7640121224669



220 mm

Art-Nr.	P100006238
EAN	7640121224676

CATALYST ONE | SIMPLY POWERFUL BRAKING


FEATURES

- Catalyst brake ring provides high heat tolerance and durability
- 6-bolt and Centerlock
- Centerlock models are e-bike magnet compatible (160 - 220 mm)
- 6-bolt models are compatible with adapter for Centerlock hubs
- wear indicators - the black divots dissappear when rotor has worn to the minimum thickness of 1.6mm
- rounded perimeter edge

SPECIFICATIONS

- 1.95 mm thickness
- 140 | 160 | 180 | 203 | 220 mm
- 140 and 160 mm are UCI approved

6-BOLT MODELS




140 mm

Art-Nr.	P100006100
EAN	7640121224362



160 mm

Art-Nr.	P100006101
EAN	7640121224379



180 mm

Art-Nr.	P100006102
EAN	7640121224386



203 mm

Art-Nr.	P100006103
EAN	7640121224393



220 mm

Art-Nr.	P100006104
EAN	7640121224509

CATALYST / PRO disc rotor

CATALYST PRO | READY FOR ANYTHING

FEATURES

- the original Catalyst that set new standards for performance and durability
- two-piece construction
- 6-bolt and Centerlock
- Centerlock models are e-bike magnet compatible
- aluminum alloy spider provides increased stiffness
- used by top road, mountain and cyclocross teams
- wear indicators - the black divots disappear when rotor has worn to the minimum thickness of 1.6mm
- rounded perimeter edge

SPECIFICATIONS

- brake ring thickness is optimized and specific to each diameter
- 140 | 160 | 180 | 203 | 220 mm
- 140 and 160 mm are UCI approved


DIAMETER SPECIFIC BRAKE RING THICKNESS

CATALYST PRO MODEL	THICKNESS
Ø 140mm	1.85 mm
Ø 160mm	1.80 mm
Ø 180mm	1.90 mm
Ø 203mm	1.95 mm
Ø 220mm	1.95 mm

SwissStop TEAMS




CENTERLOCK MODELS




140 mm

Art-Nr.	P100005612
EAN	7640121223808




160 mm

Art-Nr.	P100005493
EAN	7640121223761




180 mm

Art-Nr.	P100005494
EAN	7640121223778



203 mm


Art-Nr.	P100005708
EAN	7640121223983



220 mm


Art-Nr.	P100006045
EAN	7640121224195

6-BOLT MODELS




140 mm

Art-Nr.	P100005008
EAN	7640121223174




160 mm

Art-Nr.	P100005009
EAN	7640121223181




180 mm

Art-Nr.	P100005010
EAN	7640121223198



203 mm

Art-Nr.	P100005011
EAN	7640121223204



220 mm

Art-Nr.	P100006046
EAN	7640121224201

CATALYST | RACE

disc rotor




CATALYST RACE | LIGHTWEIGHT AND WITHOUT COMPROMISE

FEATURES

- 12% lighter than Catalyst Pro
- two-piece construction
- Centerlock
- wear indicators - the black divots disappear when rotor has worn to the minimum thickness of 1.6mm
- rounded perimeter edge
- brake ring dimensions are optimized for race pads
- aluminum alloy spider provides increased stiffness
- new spider design for improved aerodynamics


SPECIFICATIONS

- 1.80 mm thickness
- 140 | 160 mm
- both sizes are UCI approved



140 mm

Art-Nr.	P100006095
EAN	7640121224324



160 mm


Art-Nr.	P100006096
EAN	7640121224331



DISC 15 RS

Art-Nr. P100006282 EAN 7640121225185

Fits **Shimano** Deore BR-MT410, BR-M575, BR-M525, LX BR-T675, Alivio BR-M4050, Acera BR-M3050, Altus BR-M375, BR-M365, BR-M315 **TRP** Slate X2, Hylex **Tektro** Orion 4x2P HD-M735 (Rear), Gemini HD-M530 (Rear), HD-M500/M501



DISC 27 RS

Art-Nr. P100006049 EAN 7640121224225


Fits **Shimano** XTR BR-M9120, XT BR-M8120, BR-M8020, SLX BR-M7120, DEORE BR-M6120, BR-MT420, SAINT BR-M820, BR-M810 **TRP** G-Spec Quadiern, Quadiern **Tektro** Orion 4P HD-M750, HD-M745, Orion 4x2P HD-M735 (Front)



DISC 28 RS

Art-Nr. P100004812 EAN 7640121223266

Fits **Shimano** XTR BR-M9000, BR-M9020, BR-M987, XT BR-M8100, BR-M8000, BR-M785, SLX BR-M7100, BR-M7000, BR-M675, DEORE BR-M6100, BR-M6000, BR-M615, ALFINE BR-S700, BR-S7000 **FSA** K-Force DB-TX-9000, Afterburner DB-TX-9150 **REVER** MCX1 Post Mount



DISC 29 RS

Art-Nr. P100006051 EAN 7640121224232

Fits **SRAM** Code R (2018+), RSC (2018+), Guide RE, DB8 **Avid** Code (2011-2014), Code R



DISC 30 RS

Art-Nr. P100005050 EAN 7640121223273

Fits **Magura** MT 2, 4, 6, 8 **CAMPA** Road Disc (like Campa pads DB-310 and DB-210)



DISC 31 RS

Art-Nr. P100005719 EAN 7640121223952

Fits **SRAM** G2 Ultimate, RSC, Guide Ultimate, RSC, RS, R, T **Avid** XO Trail, Elixir 9 Trail, Elixir 7 Trail



DISC 32 RS

Art-Nr. P100005051 EAN 7640121223280

Fits **SRAM** Red eTap AXS (Gen. 1 'Mono-Bloc' caliper), eTap HRD, Force Force 22 HRD (B1), Force 1 HRD



DISC 34 RS

Art-Nr. P100005052 EAN 7640121223297

Fits **Shimano** Dura Ace BR-R9270, BR-R9170, Ultegra BR-R8170, BR-R8070, 105 BR-R7070, Tiagra BR-4770, GRX BR-RX810, BR-RX400 **TRP** HD-T910, Hylex HD-C810 **Tektro** HD-R510, HD-R310 **REVER** MCX1 Flat Mount



DISC 35 RS

Art-Nr. P100005796 EAN 7640121224003

Fits **SRAM** Red eTap AXS (Gen. 2 'Two-Piece' caliper), Force eTap AXS **Avid** Elixir 9, 7, 5


DISC RS

RACE READY | SILENT POWER

CHARACTERISTICS - RATED

INITIAL BITE	10
MODULATION	8
LONGEVITY	8
HEAT TOLERANCE	8
NOISE - DRY	10
NOISE - WET	10

0 - 10 (best)



SMOOTH, POWERFUL BRAKING

Disc RS is an organic compound which delivers powerful braking and precisely balances the performance characteristics important to racers and everyday riders alike:

- consistently silent operation
- smooth feel in the brake lever
- predictable and progressive brake power
- very high durability

QUIET IN BOTH WET AND DRY CONDITIONS

Disc RS provides extremely quiet operation in all environmental conditions including wet, dry, snow and ice.

THIN BACKPLATE DESIGN

At 1.6mm thick the steel backplate saves weight over standard designs, yet provides the preferred thermal characteristics, strength and stability of steel.

The reduced backplate thickness is offset by additional friction material, providing longer pad service life.

BALANCED PERFORMANCE

Disc RS offers a well balanced combination of brake performance, durability and incredibly low noise in all conditions. This finely tuned compound provides an ideal riding experience which is not found in other disc brake pads.



HIGH ENDURANCE | EASY MODULATION

- long lasting, high endurance pad compound
- very easy modulation of braking force
- high temperature stability for consistent brake power
- organic formula is low noise and rotor friendly

CHARACTERISTICS - RATED

INITIAL BITE	7
MODULATION	9
LONGEVITY	9
HEAT TOLERANCE	9
NOISE - DRY	9
NOISE - WET	7

0 - 10 (best)



DISC 15 E

Art-Nr. P100003790 EAN 7640121222474


Fits **Shimano** Deore BR-MT410, BR-M575, BR-M525, LX BR-T675, Alivio BR-M4050, Acera BR-M3050, Altus BR-M375, BR-M365, BR-M315 **TRP** Slate X2, Hylex **Tektro** Orion 4x2P HD-M735 (Rear), Gemini HD-M530 (Rear), HD-M500/M501



DISC 26 E

Art-Nr. P100003791 EAN 7640121222481


Fits **SRAM** XX, XO **Avid** Elixir 9, 7, 5



DISC 27 E

Art-Nr. P100005266 EAN 7640121223341

Fits **Shimano** XTR BR-M9120, XT BR-M8120, BR-M8020, SLX BR-M7120, DEORE BR-M6120, BR-MT420, SAINT BR-M820, BR-M810 **TRP** G-Spec Quadiem, Quadiem **Tektro** Orion 4P HD-M750, HD-M745, Orion 4x2P HD-M735 (Front)



DISC 31 E

Art-Nr. P100005265 EAN 7640121223358

Fits **SRAM** G2 Ultimate, RSC, Guide Ultimate, RSC, RS, R, T **Avid** XO Trail, Elixir 9 Trail, Elixir 7 Trail



DISC 32 E

Art-Nr. P100005157 EAN 7640121223242

Fits **SRAM** Red eTap AXS (Gen. 1 'Mono-Bloc' caliper), eTap HRD, Force Force 22 HRD (B1), Force 1 HRD



DISC 33 E

Art-Nr. P100005620 EAN 7640121223822

Fits **Magura** MT 5, 7



DISC 28 E

Art-Nr. P100003792 EAN 7640121222498

Fits **Shimano** XTR BR-M9000, BR-M9020, BR-M987, XT BR-M8100, BR-M8000, BR-M785, SLX BR-M7100, BR-M7000, BR-M675, DEORE BR-M6100, BR-M6000, BR-M615, ALFINE BR-S700, BR-S7000 **FSA** K-Force DB-TX-9000, Afterburner DB-TX-9150 **REVER** MCX1 Post Mount



DISC 29 E

Art-Nr. P100005619 EAN 7640121223815

Fits **SRAM** Code R (2018+), RSC (2018+), Guide RE, DB8 **Avid** Code (2011-2014), Code R



DISC 30 E

Art-Nr. P100003793 EAN 7640121222504

Fits **Magura** MT 2, 4, 6, 8 **CAMPA** Road Disc (like Campa pads DB-310 and DB-210)



DISC 34 E

Art-Nr. P100005012 EAN 7640121223211

Fits **Shimano** Dura Ace BR-R9270, BR-R9170, Ultegra BR-R8170, BR-R8070, 105 BR-R7070, Tiagra BR-4770, GRX BR-RX810, BR-RX400 **TRP** HD-T910, Hylex HD-C810 **Tektro** HD-R510, HD-R310 **REVER** MCX1 Flat Mount



DISC 35 E

Art-Nr. P100005797 EAN 7640121224010

Fits **SRAM** Red eTap AXS (Gen. 2 'Two-Piece' caliper), Force eTap AXS



AWARD WINNING DURABILITY







EXOTHERM2

MAXIMUM PAD LIFE | MINIMUM BRAKE FADE



Based on the award winning SwissStop Disc E compound, EXOTHERM2 provides high performance braking at all levels of use while minimizing pad wear.

With EXOTHERM2 brake system temperatures are dramatically lower than standard pads, reducing wear on pads and rotors. Lower temperatures also mean more consistent brake performance by reducing brake fade - the reduction of brake power caused by overheated components.



DISC 25

Art-Nr. P100005313 EAN 7640121223594

Fits **Formula** RO Racing, T1 Racing, R1 Racing, R1, C1, CR3, T1, RO, Mega, The One, RX, RR1



DISC 27

Art-Nr. P100005312 EAN 7640121223587

Fits **Shimano** XTR BR-M9120, XT BR-M8120, BR-M8020, SLX BR-M7120, DEORE BR-M6120, BR-MT420, SAINT BR-M820



DISC 28

Art-Nr. P100005310 EAN 7640121223563

Fits **Shimano** XTR BR-M9000, BR-M9020, BR-M987, XT BR-M8100, BR-M8000, BR-M785, SLX BR-M7100, BR-M675, BR-M666, BR-M615, ALFINE BR-S700 **FSA** K-Force DB-TX-9000, Afterburner DB-TX-9150



DISC 30

Art-Nr. P100005314 EAN 7640121223600

Fits **Magura** MT 2, 4, 6, 8 **CAMPA** Road Disc, for brake calipers with magnetic pistons and without spring only (like Campa pads DB-210)



DISC 31

Art-Nr. P100005315 EAN 7640121223617

Fits **SRAM** Guide Ultimate, RSC, RS, R, T **Avid** XO Trail, Elixir 9 Trail, Elixir 7 Trail



DISC 32

Art-Nr. P100005316 EAN 7640121223624

Fits **SRAM** Red eTap AXS (Gen. 1 'Mono-Bloc' caliper), eTap HRD, Force Force 22 HRD (B1), Force 1 HRD



DISC 34

Art-Nr. P100005317 EAN 7640121223631

Fits **Shimano** Dura Ace BR-R9270, BR-R9170, Ultegra BR-R8170, BR-R8070, 105 BR-R7070, Tiagra BR-4770, GRX BR-RX810, BR-RX400



DISC 35

Art-Nr. P100006272 EAN 7640121225154

Fits **SRAM** Red eTap AXS (Gen. 2 'Two-Piece' caliper), Force eTap AXS **Avid** Elixir 9, 5, 3

CHARACTERISTICS - RATED

INITIAL BITE	7
MODULATION	9
LONGEVITY	10
HEAT TOLERANCE	10
NOISE - DRY	9
NOISE - WET	7

Rated from 0 - 10 (best)



DISC 21 C

Art-Nr. P000730021 EAN 7640121220661

Fits **Magura** Marta 2009, Louise 2007/08, Louise Bat, Louise Carbon, Julie hp **Brake Force One** BFO Brake



DISC 23 C

Art-Nr. P100001426 EAN 7640121220739

Fits **Hayes** Stroker Ryde, Radar



DISC 25 C

Art-Nr. P100001425 EAN 7640121220753

Fits **Formula** RO Racing, T1 Racing, R1 Racing, R1, C1, CR3, T1, RO, Mega, The One, RX, RR1, CURA



SMOOTH POWER | LOW NOISE

CHARACTERISTICS - RATED

INITIAL BITE	9
MODULATION	8
LONGEVITY	7
HEAT TOLERANCE	7
NOISE - DRY	9
NOISE - WET	9

0 - 10 (best)



DISC 15 C

Art-Nr. P000730015 EAN 7640121220395

Fits **Shimano** Deore BR-MT410, BR-M575, BR-M525, LX BR-T675, Alivio BR-M4050, Acera BR-M3050, Altus BR-M375, BR-M365, BR-M315 **TRP** Slate X2, Hylex **Tektro** Orion 4x2P HD-M735 (Rear), Gemini HD-M530 (Rear), HD-M500/M501



DISC 26 C

Art-Nr. P100001650 EAN 7640121220760

Fits **SRAM** XX, XO **Avid** Elixir 9, 7, 5



DISC 27 C

Art-Nr. P100001651 EAN 7640121221309

Fits **Shimano** XTR BR-M9120, XT BR-M8120, BR-M8020, SLX BR-M7120, DEORE BR-M6120, BR-MT420, SAINT BR-M820, BR-M810 **TRP** G-Spec Quadiem, Quadiem **Tektro** Orion 4P HD-M750, HD-M745, Orion 4x2P HD-M735 (Front)



DISC 28 C

Art-Nr. P100001652 EAN 7640121221767

Fits **Shimano** XTR BR-M9000, BR-M9020, BR-M987, XT BR-M8100, BR-M8000, BR-M785, SLX BR-M7100, BR-M7000, BR-M675, DEORE BR-M6100, BR-M6000, BR-M615, ALFINE BR-S700, BR-S7000 **FSA** K-Force DB-TX-9000, Afterburner DB-TX-9150 **REVER** MCX1 Post Mount



DISC 16 C

Art-Nr. P000730016 EAN 7640121220425

Fits **Shimano** XTR BR-M975, BR-M966, BR-M965, XT BR-M776, BR-M775, BR-M765, SLX BR-M665, LX BR-M585, BR-T665, BR-T605, DEORE BR-M596, BR-M595, BR-M535 **TRP** Dash Carbon



DISC 17 C

Art-Nr. P000730017 EAN 7640121220470

Fits **Avid** Juicy 3, 5, 7, Carbon, Ultimate, BB7 Mechanical



DISC 18 C

Art-Nr. P000730018 EAN 7640121220531

Fits **Formula** ORO



DISC 29 C

Art-Nr. P100001653 EAN 7640121221774

Fits **SRAM** Code R (2018+), RSC (2018+), Guide RE, DB8 **Avid** Code (2011-2014), Code R



DISC 30 C

Art-Nr. P100002876 EAN 7640121221996

Fits **Magura** MT 2, 4, 6, 8 **CAMPA** Road Disc, for brake calipers with magnetic pistons and without spring only (like Campa pads DB-210)



DISC 31 C

Art-Nr. P100003239 EAN 7640121222177

Fits **SRAM** G2 Ultimate, RSC, Guide Ultimate, RSC, RS, R, T **Avid** XO Trail, Elixir 9 Trail, Elixir 7 Trail

disc brake **POWER-CLEAN**



500 ML

DESCRIPTION

SwissStop Disc Brake Power-Clean is the acetone-free solution for degreasing, loosening stuck parts and taking care of bicycle disc brake components. Soiled brake systems and metal parts are freed from organic and mineral dirt in no time - even adhesive residues can be removed. It displaces moisture, evaporates without a trace and can help prevent brakes from squealing.

disc brake **SILENCER**



400 ML



50 ML

After using it the first time I thought, "That's just a coincidence"
After the second time I thought, "Pretty cool".
After the third time I thought, "It really works. This is great!"

-Alexander Giegerich,
www.fahrradhof-grosswallstadt.de

ADAPTERS AND LOCKRINGS



Centerlock Adapter - adapt 6-Bolt rotor to Centerlock

Art-Nr. P100006105 EAN 7640121224416



Centerlock Lockring - max Ø 160 mm

Art-Nr. P100006239 EAN 7640121224683



Centerlock Lockring - max Ø 220 mm

Art-Nr. P100006280 EAN 7640121225239

E-BIKE SPEED SENSOR MAGNET



E-Bike Magnet - speed sensor magnet

Art-Nr. P100006270 EAN 7640121225208

EVERYDAY UTILITY



Backpack - 35x45 cm

Art-Nr. P100006278 EAN 7640121225161



Musette - 35x30 cm

Art-Nr. P100006279 EAN 7640121225178



Compressed Towel - 30 x 60cm

Art-Nr. P100003788 EAN 7640121222450

BECAUSE
YOU RIDE
EVERYWHERE.



COMPOUNDS FOR CARBON RIMS



BLACK PRINCE

EXCELLENT MODULATION



FlashPRO

Art-Nr. P100003205 EAN 7640121222139
Fits SRAM | Shim Road and Campa retention screw type



FlashPRO FULL TYPE

Art-Nr. P100003330 EAN 7640121222382
Fits SRAM | Shim Road



FlashEVO

Art-Nr. P100003762 EAN 7640121222436
Fits SRAM | Shim Road and Campa retention screw type



RacePRO

Art-Nr. P100003206 EAN 7640121222146
Fits Campa with retention spring or friction fit (10 sp and newer)

YELLOW KING

FOR CARBON RIMS



FlashPRO

Art-Nr. P100001833 EAN 7640121221323
Fits SRAM | Shim Road and Campa retention screw type



FlashPRO FULL TYPE

Art-Nr. P100001882 EAN 7640121221361
Fits SRAM | Shim Road



RacePRO

Art-Nr. P100002484 EAN 7640121221729
Fits Campa with retention spring or friction fit (10 sp and newer)

COMPOUNDS FOR ALU RIMS

BXP

EXTREME PERFORMANCE



FlashPRO

Art-Nr. P100003203 EAN 7640121222115
Fits SRAM | Shim Road and Campa retention screw type



FlashPRO
FULL TYPE

Art-Nr. P100003331 EAN 7640121222399
Fits SRAM | Shim Road



FlashEVO

Art-Nr. P100003763 EAN 7640121222443
Fits SRAM | Shim Road and Campa retention screw type




RacePRO

Art-Nr. P100003208 EAN 7640121222160
Fits Campa with retention spring or friction fit (10 sp and newer)


PERFORMANCE

STOPPING DISTANCES



STOPPING DISTANCE (m), 60 km/h -0, dry conditions

MODULATION



HAND FORCE at brake lever (N)

More performance info at www.SwissStop.ch/tech/compounds

COMPOUNDS FOR ALU RIMS

ORIGINAL BLACK

SMOOTH, RIM FRIENDLY BRAKING



FlashPRO

Art-Nr. P100001815 EAN 7640121221316
Fits SRAM | Shim Road and Campa retention screw type



FlashPRO FULL TYPE

Art-Nr. P100001881 EAN 7640121221354
Fits SRAM | Shim Road



RacePRO

Art-Nr. P100002482 EAN 7640121221705
Fits Campa with retention spring or friction fit (10 sp and newer)



VikingPRO

Art-Nr. P100002773 EAN 7640121221880
Fits threaded post



RxPLUS

Art-Nr. P100002334 EAN 7640121221545
Fits V-Type



RxPLUS FULL TYPE

Art-Nr. P100002337 EAN 7640121221576
Fits V-Type



Rat

Art-Nr. P000310204 EAN 7640121220005
Fits cantilever

GREY ECONOMY



Viking

Art-Nr. P000647120 EAN 7640121221026
Fits threaded post

ACCESSORY ITEMS



PolierGUMMI

Art-Nr. P000771340 EAN 7640121221255
for alu rims

